

**Avastin (bevacizumab)  
Mvasi (bevacizumab-awwb)  
Zirabev (bevacizumab-bvzr)  
Effective January 1, 2021**

<b>Plan</b>	<input type="checkbox"/> MassHealth <input checked="" type="checkbox"/> Commercial/Exchange	<b>Program Type</b>	<input checked="" type="checkbox"/> Prior Authorization <input checked="" type="checkbox"/> Quantity Limit <input type="checkbox"/> Step Therapy
<b>Benefit</b>	<input type="checkbox"/> Pharmacy Benefit <input checked="" type="checkbox"/> Medical Benefit (NLX)		
<b>Specialty Limitations</b>	N/A		
<b>Contact Information</b>	<b>Specialty Medications</b>		
	All Plans	Phone: 866-814-5506	Fax: 866-249-6155
	<b>Non-Specialty Medications</b>		
	MassHealth	Phone: 877-433-7643	Fax: 866-255-7569
	Commercial	Phone: 800-294-5979	Fax: 888-836-0730
	Exchange	Phone: 855-582-2022	Fax: 855-245-2134
	<b>Medical Specialty Medications (NLX)</b>		
	All Plans	Phone: 844-345-2803	Fax: 844-851-0882
<b>Exceptions</b>	N/A		

**Overview**

Bevacizumab is a vascular Endothelial Growth Factor (VEGF) inhibitor indicated for multiple cancers.

Note: Avastin for ocular diagnoses are found on a separate criteria document

**Coverage Guidelines**

Authorization may be granted for members new to AllWays Health Partners who are currently receiving treatment with Avastin, Mvasi or Zirabev excluding when the product is obtained as samples or via manufacturer’s patient assistance programs.

**OR**

Authorization may be granted when the following have been met:

1. Colorectal cancer (CRC)
  - a. The member has a diagnosis of colorectal cancer, including small bowel adenocarcinoma, appendiceal carcinoma, and anal adenocarcinoma
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
2. Non-small cell lung cancer (NSCLC)
  - a. The member has a diagnosis of recurrent, advanced, or metastatic non-squamous NSCLC
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
3. CNS cancer
  - a. The member has ONE of the following diagnosis:
    - i. Glioblastoma

- ii. Intracranial and spinal ependymoma (excludes sub-ependymoma)
    - iii. Anaplastic gliomas
    - iv. Low-grade (WHO Grade II) infiltrative supratentorial astrocytoma/oligodendroglioma
    - v. Medulloblastoma
    - vi. Primary central nervous system lymphoma
    - vii. Meningiomas
    - viii. Limited and extensive brain metastases
    - ix. Leptomeningeal metastases
    - x. Metastatic spine tumors
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
4. Ovarian cancer/Fallopian tube cancer/Primary peritoneal cancer
- a. Member has a diagnosis of the following types of ovarian cancer, fallopian tube cancer, and primary peritoneal cancer:
    - i. Epithelial ovarian cancer, including: Carcinosarcoma (malignant mixed Müllerian tumors)
    - ii. Clear cell carcinoma
    - iii. Mucinous carcinoma
    - iv. Grade 1 endometrioid carcinoma
    - v. Low-grade serous carcinoma
    - vi. Borderline epithelial tumors (low malignant potential) with invasive implants
    - vii. Malignant sex cord-stromal tumors
    - viii. Fallopian tube cancer
    - ix. Primary peritoneal cancer
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
5. Uterine/Endometrial cancer
- a. The member has a diagnosis of progressive, advanced, or recurrent uterine cancer or endometrial cancer
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
6. Cervical/Vaginal cancer
- a. The member has a diagnosis of persistent, recurrent, or metastatic cervical or vaginal cancer
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
7. Breast cancer
- a. The member has a diagnosis of breast cancer
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
8. Renal cell carcinoma
- a. The member has a diagnosis of relapsed or metastatic renal cell carcinoma
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
9. Soft tissue sarcoma
- a. The member has a diagnosis of soft tissue sarcoma
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev

10. Angiosarcoma
  - a. The member has a diagnosis of angiosarcoma, as single agent therapy.
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
11. Solitary fibrous tumor/hemangiopericytoma
  - a. The member has a diagnosis of solitary fibrous tumor or hemangiopericytoma, in combination with temozolomide
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
12. Malignant pleural mesothelioma
  - a. The member has a diagnosis of malignant pleural mesothelioma, in combination with pemetrexed and either cisplatin or carboplatin, followed by single agent maintenance therapy
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
13. AIDS-related Kaposi sarcoma
  - a. The member has a diagnosis of AIDS-related Kaposi sarcoma
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
14. Vulvar cancer
  - a. The member has a diagnosis of unresectable locally advanced, recurrent, or metastatic vulvar cancer.
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
15. Peritoneal mesothelioma
  - a. The member has a diagnosis of peritoneal mesothelioma
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
16. Tunica vaginalis testis mesothelioma
  - a. The member has a diagnosis of tunica vaginalis testis mesothelioma.
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev
17. Hepatocellular carcinoma
  - a. The member has a diagnosis of hepatocellular carcinoma, in combination with atezolizumab
  - b. For **Avastin**: The member has had an inadequate response or intolerance to Mvasi and Zirabev

### **Continuation of Therapy**

Reauthorization requires physician documentation of improvement of member's condition.

### **Limitations**

1. Initial approvals and reauthorizations will be granted for 12 months

### **References**

1. Avastin (bevacizumab) [prescribing information]. South San Francisco, CA: Genentech; May 2020
2. Mvasi (bevacizumab-awwb) [prescribing information]. Thousand Oaks, CA: Amgen Inc; June 2019
3. Zirabev (bevacizumab-bvzr) [prescribing information]. New York, NY: Pfizer Labs; January 2020

4. Ray-Coquard I, Pautier P, Pignata S, et al; PAOLA-1 Investigators. Olaparib plus bevacizumab as first-line maintenance in ovarian cancer. *N Engl J Med.* 2019;381(25):2416-2428. doi:10.1056/NEJMoa1911361
5. Finn RS, Qin S, Ikeda M, et al. Atezolizumab plus bevacizumab in unresectable hepatocellular carcinoma. *N Engl J Med.* 2020;382(20):1894-1905. doi:10.1056/NEJMoa1915745
6. Zalcman G, Mazieres J, Margery J, et al. Bevacizumab for newly diagnosed pleural mesothelioma in the Mesothelioma Avastin Cisplatin Pemetrexed Study (MAPS): a randomised, controlled, open-label, phase 3 trial [published correction appears in *Lancet.* 2016;387(10026): e24.]. *Lancet.* 2016;387(10026):1405-1414
7. Aghajanian C, Blank SV, Goff BA, et al. OCEANS: a randomized, double-blind, placebo-controlled phase III trial of chemotherapy with or without bevacizumab in patients with platinum-sensitive recurrent epithelial ovarian, primary peritoneal, or fallopian tube cancer
8. Park MS, Patel SR, Ludwig JA, et al. Activity of temozolomide and bevacizumab in the treatment of locally advanced, recurrent, and metastatic hemangiopericytoma and malignant solitary fibrous tumor. *Cancer.* 2011;117(21):4939-4947
9. Gupta S, Parsa VB, Heilbrun LK, et al. Safety and efficacy of molecularly targeted agents in patients with metastatic kidney cancer with renal dysfunction. *Anticancer Drugs.* 2011;22(8):794-800
10. Agulnik M, Yarber JL, Okuno SH, et al. An open-label, multicenter, phase II study of bevacizumab for the treatment of angiosarcoma and epithelioid hemangioendotheliomas. *Ann Oncol.* 2013;24(1):257-263
11. Barlesi F, Scherpereel A, Rittmeyer A, et al. Randomized phase III trial of maintenance bevacizumab with or without pemetrexed after first-line induction with bevacizumab, cisplatin, and pemetrexed in advanced nonsquamous non-small-cell lung cancer: AVAPERL (MO22089). *J Clin Oncol.* 2013;31(24):3004-3011
12. Tewari KS, Sill MW, Long HJ 3rd, et al. Improved survival with bevacizumab in advanced cervical cancer. *N Engl J Med.* 2014;370(8):734-743

### Review History

11/18/2020- Updated: moved Avastin to non-preferred, moved Mvasi and Zirabev to preferred for non-ocular diagnoses; moved to MB only; P+T reviewed

### Disclaimer

AllWays Health Partners complies with applicable federal civil rights laws and does not discriminate or exclude people on the basis of race, color, national origin, age, disability, or sex.