

Topical Doxepin 5% Cream
Effective February 1, 2020

Plan	<input checked="" type="checkbox"/> MassHealth <input checked="" type="checkbox"/> Commercial/Exchange	Program Type	<input type="checkbox"/> Prior Authorization
Benefit	<input checked="" type="checkbox"/> Pharmacy Benefit <input type="checkbox"/> Medical Benefit (NLX)		<input type="checkbox"/> Quantity Limit <input checked="" type="checkbox"/> Step Therapy
Specialty Limitations	N/A		
Contact Information	Specialty Medications		
	All Plans	Phone: 866-814-5506	Fax: 866-249-6155
	Non-Specialty Medications		
	MassHealth	Phone: 877-433-7643	Fax: 866-255-7569
	Commercial	Phone: 800-294-5979	Fax: 888-836-0730
	Exchange	Phone: 855-582-2022	Fax: 855-245-2134
	Medical Specialty Medications (NLX)		
	All Plans	Phone: 844-345-2803	Fax: 844-851-0882
Exceptions	N/A		

Overview

Prescriptions that meet the initial step therapy requirements will adjudicate automatically at the point of sale. If the prescription does not meet the initial step therapy requirements, the prescription will deny with a message indicating that prior authorization (PA) is required. Refer to the criteria below and submit a PA request for the members who do not meet the initial step therapy requirements at the point of sale.

Initial Step-Therapy Requirements:

First-Line: Medications listed on first-line are covered without prior-authorization.

Second-Line: Second-line medications will pay if the member has had a 14-day fill of at least two (2) different first-line medications or a second-line medication within the past 180 days.

Coverage Guidelines

If a member does not meet the initial step therapy requirements, then approval of a second-line medication will be granted if the member has had a documented inadequate response or side effect to at least two different 1st-line therapies

FIRST-LINE*	SECOND-LINE
Capsaicin cream Lidocaine patch Super potent topical steroids Betamethasone dipropionate, augmented 0.05% (gel, lotion, ointment) Clobetasol propionate 0.05% (cream, foam, gel, ointment, solution) Fluocinonide 0.1% cream	Doxepin 5% Cream

<p>Flurandrenolide 4mcg/cm tape Halobetasol propionate 0.05% (cream, lotion, ointment)</p> <p>Potent topical corticosteroids</p> <p>Amcinonide 0.1% cream Betamethasone dipropionate 0.05% cream Betamethasone valerate 0.1% ointment & foam 0.12% Desoximetasone 0.05% cream Diflorasone diacetate 0.05% cream & ointment Fluocinonide 0.05% cream, gel, ointment and solution Fluticasone propionate 0.005% ointment Halcinonide 0.1% cream & ointment Halobetasol propionate 0.01% lotion Mometasone furoate 0.1% ointment Triamcinolone acetonide 0.5% cream & ointment</p> <p>Pimecrolimus Tacrolimus</p>	
---	--

*Please note: Some first-line agents require a PA. Please refer to the Drug Look Up tool for coverage.

Limitations

1. A quantity limit of 45 grams per 30 days applies.

References

1. Gooding SM, Canter PH, Coelho HF, et al. Systematic review of topical capsaicin in the treatment of pruritus. *Int J Dermatol* 2010; 49:858
2. Ständer S, Schürmeyer-Horst F, Luger TA, Weisshaar E. Treatment of pruritic diseases with topical calcineurin inhibitors. *Ther Clin Risk Manag* 2006; 2:213
3. Dunford PJ, Williams KN, Desai PJ, et al. Histamine H4 receptor antagonists are superior to traditional antihistamines in the attenuation of experimental pruritus. *J Allergy Clin Immunol* 2007; 119:176
4. Greene SL, Reed CE, Schroeter AL. Double-blind crossover study comparing doxepin with diphenhydramine for the treatment of chronic urticaria. *J Am Acad Dermatol* 1985; 12:669

Review History

11/20/19 – Reviewed at P&T

Disclaimer

AllWays Health Partners complies with applicable federal civil rights laws and does not discriminate or exclude people on the basis of race, color, national origin, age, disability, or sex.