



**Entyvio (vedolizumab)**  
Effective 02/20/19

<b>Plan</b>	<input type="checkbox"/> MassHealth <input checked="" type="checkbox"/> Commercial/Exchange	<b>Program Type</b>	<input checked="" type="checkbox"/> Prior Authorization <input type="checkbox"/> Quantity Limit <input type="checkbox"/> Step Therapy
<b>Benefit</b>	<input checked="" type="checkbox"/> Pharmacy Benefit <input type="checkbox"/> Medical Benefit (NLX)		
<b>Specialty Limitations</b>	This medication has been designated specialty and must be filled at a contracted specialty pharmacy.		
<b>Contact Information</b>	<b>Specialty Medications</b>		
	All Plans	Phone: 866-814-5506	Fax: 866-249-6155
	<b>Non-Specialty Medications</b>		
	MassHealth	Phone: 877-433-7643	Fax: 866-255-7569
	Commercial	Phone: 800-294-5979	Fax: 888-836-0730
	Exchange	Phone: 855-582-2022	Fax: 855-245-2134
	<b>Medical Specialty Medications (NLX)</b>		
	All Plans	Phone: 844-345-2803	Fax: 844-851-0882
<b>Exceptions</b>	N/A		

**Overview**

Entyvio (vedolizumab) is an integrin receptor antagonist indicated for Adult Ulcerative Colitis (UC) and Adult Crohn's Disease (CD).

**Coverage Guidelines**

**Moderately to severely active Ulcerative Colitis (UC)**

Authorization may be granted for members who are currently receiving treatment with Entyvio excluding when the product is obtained as samples or via manufacturer's patient assistance programs.

**OR**

Authorization may be granted for members who have had inadequate response, intolerance, or contraindication to BOTH of the following:

1. Humira (adalimumab)
2. ONE conventional therapy option (See Appendix A)

**Moderately to severely active Crohn's Disease (CD)**

Authorization may be granted for members who are currently receiving treatment with Entyvio excluding when the product is obtained as samples or via manufacturer's patient assistance programs.

**OR**

Authorization may be granted for members who have had inadequate response, intolerance, or contraindication to BOTH of the following:

1. Humira (adalimumab)
2. ONE conventional therapy option (See Appendix B)

**Continuation of Therapy**



Reauthorization may be granted for members, including those who are new to AllWays Health Partners, who meet ALL initial authorization criteria and achieve or maintain positive clinical response after at least 4 months of therapy with Entyvio as evidenced by low disease activity or improvement in signs and symptoms of the condition.

### Limitations

1. Approvals will be granted for 12 months.

### Appendices

#### Appendix A: Examples of Conventional Therapy Options for UC

1. Mild to moderate disease – induction of remission:
  - a. mesalamine (e.g., Asacol, Asacol HD, Lialda, Pentasa)
  - b. Rectal mesalamine (e.g., Canasa, Rowasa)
  - c. Alternatives: azathioprine, mercaptopurine, sulfasalazine
2. Mild to moderate disease – maintenance of remission:
  - a. Oral mesalamine, rectal mesalamine
  - b. Alternatives: azathioprine, mercaptopurine, sulfasalazine
3. Severe disease – induction of remission:
  - a. Sulfasalazine
  - b. Severe disease – maintenance of remission:
4. Azathioprine, mercaptopurine
  - a. Alternative: sulfasalazine
5. Pouchitis: rectal mesalamine

#### Appendix B: Examples of Conventional Therapy Options for CD

1. Mild to moderate disease – induction of remission:
  - a. Oral mesalamine (e.g., Asacol, Asacol HD, Lialda, Pentasa)
2. Mild to moderate disease – maintenance of remission:
  - a. Azathioprine, mercaptopurine
  - b. Alternatives: methotrexate intramuscularly (IM)
3. Moderate to severe disease – induction of remission:
  - a. Methotrexate IM
4. Moderate to severe disease – maintenance of remission:
  - a. Azathioprine, mercaptopurine
  - b. Alternative: methotrexate IM
5. Perianal and fistulizing disease – maintenance of remission
  - a. Azathioprine, mercaptopurine
  - b. Alternative: methotrexate IM

### References

1. Entyvio (vedolizumab) [prescribing information]. Deerfield, IL: Takeda Pharmaceuticals America Inc; February 2018.
2. Kornbluth A, Sachar DB, and the Practice Parameters Committee of the American College of Gastroenterology. Ulcerative Colitis Practice Guidelines in Adults. Am J Gastroenterol. 2010; 105:501–523. Available at <http://s3.gi.org/physicians/guidelines/UlcerativeColitis.pdf>. Accessed September 6, 2016.
3. Lichtenstein GR, Hanauer SB, Sandborn WJ, and the Practice Parameters Committee of the American College of Gastroenterology. Management of Crohn's disease in adults. Am J



Gastroenterol. 2009. Available at <http://s3.gi.org/physicians/guidelines/CrohnsDiseaseinAdults2009.pdf>. Accessed September 6, 2016.

4. Talley NJ, Abreu MT, Achkar J, et al. An evidence-based systematic review on medical therapies for inflammatory bowel disease. *Am J Gastroenterol*. 2011;106(Suppl 1): S2-S25.
5. Sandborn WJ, Feagan BG, Rutgeerts P, et al. Vedolizumab as induction and maintenance therapy for Crohn's disease. *N Engl J Med* 2013; 369:711.
6. Loftus EV Jr, Colombel JF, Feagan BG, et al. Long-term Efficacy of Vedolizumab for Ulcerative Colitis. *J Crohns Colitis* 2017; 11:400

### **Review History**

02/23/15 – Reviewed

02/22/16 – Reviewed in P&T Meeting

02/27/17 – Reviewed and revised (adopted ST)

02/26/18 – Reviewed and revised

02/20/19 – Reviewed and revised in P&T Meeting

### **Disclaimer**

AllWays Health Partners complies with applicable federal civil rights laws and does not discriminate or exclude people on the basis of race, color, national origin, age, disability, or sex.