



Neulasta (pegfilgrastim)
Fulphila (pegfilgrastim-jmdp)
Udenyca (pegfilgrastim-cbqv)
Ziextenzo (pegfilgrastim-bmez)
Nyvepria (pegfilgrastim-apgf)
Effective 01/01/2022

Plan	<input type="checkbox"/> MassHealth <input checked="" type="checkbox"/> Commercial/Exchange	Program Type	<input checked="" type="checkbox"/> Prior Authorization <input checked="" type="checkbox"/> Quantity Limit <input type="checkbox"/> Step Therapy
Benefit	<input checked="" type="checkbox"/> Pharmacy Benefit <input checked="" type="checkbox"/> Medical Benefit (NLX)		
Specialty Limitations	This medication has been designated specialty and must be filled at a contracted specialty pharmacy.		
Contact Information	Specialty Medications		
	All Plans	Phone: 866-814-5506	Fax: 866-249-6155
	Non-Specialty Medications		
	MassHealth	Phone: 877-433-7643	Fax: 866-255-7569
	Commercial	Phone: 800-294-5979	Fax: 888-836-0730
	Exchange	Phone: 855-582-2022	Fax: 855-245-2134
	Medical Specialty Medications (NLX)		
	All Plans	Phone: 844-345-2803	Fax: 844-851-0882
Exceptions	N/A		

Overview

FDA-Approved Indication

- Cancer Receiving Myelosuppressive Chemotherapy: decrease the incidence of infection, as manifested by febrile neutropenia, in patients with non-myeloid malignancies receiving myelosuppressive anti-cancer drugs associated with a clinically significant incidence of febrile neutropenia. (Neulasta, Fulphila, Udenyca, Ziextenzo)
- Hematopoietic Syndrome of Acute Radiation Syndrome: increase survival in patients acutely exposed to myelosuppressive doses of radiation (Neulasta ONLY)

Compendial Use

- Stem cell transplantation-related indications
- Prophylaxis for chemotherapy-induced febrile neutropenia in patients with solid tumors
- Radiation therapy/injury
- Hairy cell leukemia
- Chronic Myeloid Leukemia (CML), treatment of resistant neutropenia due to tyrosine kinases inhibitor therapy



Preferred Agents	Non-Preferred Agents
Neulasta	Fulphila
Ziextenzo	Udenyca
	Nyvepria

Coverage Guidelines

Authorization may be reviewed for members new to AllWays Health Partners who are currently receiving treatment with the requested medication excluding when the product is obtained as samples or via manufacturer’s patient assistance programs.

OR

Authorization may be granted for members when ALL the following criteria are met, and documentation is provided:

Prevention of neutropenia in cancer patients receiving myelosuppressive chemotherapy

1. The requested medication will not be used in combination with other colony stimulating factors within any chemotherapy cycle.
2. The member will not be receiving concurrent chemotherapy and radiation therapy.
3. The requested medication will not be administered with weekly chemotherapy regimens.
4. ONE of the following criteria is met:
 - a. The requested medication will be used for primary prophylaxis in members with a solid tumor or non-myeloid malignancies who have received, are currently receiving, or will be receiving myelosuppressive anti-cancer therapy that is expected to result in 20% or higher incidence of FN (*See Appendix A*) OR 10 – 19% risk of FN (*See Appendix B*).
 - b. The requested medication will be used for secondary prophylaxis in members with solid tumors or non-myeloid malignancies who experienced a febrile neutropenic complication or a dose-limiting neutropenic event (a nadir or day of treatment count impacting the planned dose of chemotherapy) from a prior cycle of similar chemotherapy, with the same dose and scheduled planned for the current cycle (for which primary prophylaxis was not received).
5. For Fulphila, Udenyca, and Nyvepria member has adverse reaction, intolerance or contraindication to Neulasta AND Ziextenzo

All Other indications

1. The member meets one of the following diagnoses:
 - a. Stem cell transplantation-related indications
 - b. Radiation therapy exposed to myelosuppressive doses of radiation therapy OR treatment of radiation injury
 - c. Hairy cell leukemia neutropenic fever following chemotherapy.
 - d. Chronic Myeloid Leukemia with resistant neutropenia due to tyrosine inhibitor therapy
- b. For Fulphila, Udenyca, and Nyvepria member has adverse reaction, intolerance or contraindication to Neulasta AND Ziextenzo

Continuation of Therapy

Reauthorization requires physician documentation of improvement of member’s condition and must meet all initial criteria

Limitations

1. Initial approvals and reauthorizations will be granted for 6 months.

Appendix

APPENDIX A: Chemotherapy Regimens with an Incidence of Febrile Neutropenia of > 20%

1. **Acute Lymphoblastic Leukemia:** ALL regimens as directed by treatment protocol (see NCCN guidelines)
2. **Bladder Cancer:**
 - a. Dose dense MVAC (methotrexate, vinblastine, doxorubicin, cisplatin)
 - b. CBDCa/Pac (carboplatin, paclitaxel)
3. **Bone Cancer**
 - a. VAI (vincristine, doxorubicin or dactinomycin, ifosfamide)
 - b. VDC-IE (vincristine, doxorubicin or dactinomycin, and cyclophosphamide alternating with ifosfamide and etoposide)
 - c. Cisplatin/doxorubicin
 - d. VDC (cyclophosphamide, vincristine, doxorubicin or dactinomycin)
 - e. VIDE (vincristine, ifosfamide, doxorubicin or dactinomycin, etoposide)
4. **Breast Cancer:**
 - a. Docetaxel + trastuzumab
 - b. Dose-dense AC (doxorubicin, cyclophosphamide) + paclitaxel (or dose dense paclitaxel)
 - c. TAC (docetaxel, doxorubicin, cyclophosphamide)
 - d. AT (doxorubicin, docetaxel)
 - e. Doc (docetaxel)
 - f. TC (docetaxel, cyclophosphamide)
 - g. TCH (docetaxel, carboplatin, trastuzumab)
5. **Colorectal Cancer:** FOLFOXIRI (fluorouracil, leucovorin, oxaliplatin, irinotecan)
6. **Esophageal and Gastric Cancers:** Docetaxel/cisplatin/fluorouracil
7. **Head and Neck Squamous Cell Carcinoma:** TPF (docetaxel, cisplatin, fluorouracil)
8. **Hodgkin Lymphoma:**
 - a. Brentuximab vedotin + AVD (doxorubicin, vinblastine, dacarbazine)
 - b. Escalated BEACOPP (bleomycin, etoposide, doxorubicin, cyclophosphamide, vincristine, procarbazine, prednisone)
9. **Kidney Cancer:** Doxorubicin/gemcitabine
10. **Non-Hodgkin's Lymphoma:**
 - a. Dose-adjusted EPOCH (etoposide, prednisone, vincristine, cyclophosphamide, doxorubicin)
 - b. ICE (ifosfamide, carboplatin, etoposide)
 - c. Dose-dense CHOP-14 (cyclophosphamide, doxorubicin, vincristine, prednisone) + rituximab
 - d. MINE (mesna, ifosfamide, novantrone, etoposide)
 - e. DHAP (dexamethasone, cisplatin, cytarabine)
 - f. ESHAP (etoposide, methylprednisolone, cisplatin, cytarabine (Ara-C))
 - g. HyperCVAD + rituximab (cyclophosphamide, vincristine, doxorubicin, dexamethasone + rituximab)
 - h. VAPEC-B (vincristine, doxorubicin, prednisolone, etoposide, cyclophosphamide, bleomycin)
11. **Melanoma:** Dacarbazine-based combination with IL-2, interferon alpha (dacarbazine, cisplatin, vinblastine, IL-2, interferon alpha)

12. Multiple myeloma:

- a. DT-PACE (dexamethasone/ thalidomide/ cisplatin/ doxorubicin/ cyclophosphamide/ etoposide) + bortezomib (VTD-PACE)
- b. DT-PACE
(dexamethasone/thalidomide/cisplatin/doxorubicin/cyclophosphamide/etoposide)

13. Ovarian Cancer: Topotecan or Docetaxel

14. Pancreatic Cancer: FOLFIRINOX (fluorouracil, leucovorin, irinotecan, oxaliplatin)

15. Soft Tissue Sarcoma:

- a. MAID (mesna, doxorubicin, ifosfamide, dacarbazine)
- b. Doxorubicin
- c. Ifosfamide/doxorubicin

16. Small Cell Lung Cancer:

- a. Top (topotecan)
- b. CAV (cyclophosphamide, doxorubicin, vincristine)

17. Testicular cancer:

- a. Velp (vinblastine, ifosfamide, cisplatin)
- b. VIP (etoposide, ifosfamide, cisplatin)
- c. TIP (paclitaxel, ifosfamide, cisplatin)

APPENDIX B: Chemotherapy Regimens with an Incidence of Febrile Neutropenia of 10% to 19%

1. Occult primary – adenocarcinoma: Gemcitabine/docetaxel

2. Breast cancer:

- a. Docetaxel
- b. CMF classic (cyclophosphamide, methotrexate, fluorouracil)
- c. CA (doxorubicin, cyclophosphamide) (60 mg/m²) (hospitalized)
- d. AC (doxorubicin, cyclophosphamide) + sequential docetaxel (taxane portion only)
- e. AC + sequential docetaxel + trastuzumab
- f. A (doxorubicin) (75 mg/m²)
- g. AC (doxorubicin, cyclophosphamide)
- h. CapDoc (capecitabine, docetaxel)
- i. Paclitaxel every 21 days

3. Cervical Cancer:

- a. Irinotecan
- b. Cisplatin/topotecan
- c. Paclitaxel/cisplatin
- d. Topotecan

4. Colorectal:

- a. FL (fluorouracil, leucovorin)
- b. CPT-11 (irinotecan) (350 mg/m² q 3 wk)
- c. FOLFOX (fluorouracil, leucovorin, oxaliplatin)

5. Esophageal and Gastric Cancers:

- a. Irinotecan/cisplatin
- b. Epirubicin/cisplatin/fluorouracil
- c. Epirubicin/cisplatin/capecitabine

6. Non-Hodgkin's lymphomas:

- a. EPOCH-IT chemotherapy
- b. GDP (gemcitabine, dexamethasone, cisplatin/carboplatin)
- c. GDP (gemcitabine, dexamethasone, cisplatin/carboplatin) + rituximab

- d. FMR (fludarabine, mitoxantrone, rituximab)
 - e. CHOP (cyclophosphamide, doxorubicin, vincristine, prednisone) including regimens with pegylated liposomal doxorubicin
 - f. CHOP + rituximab (cyclophosphamide, doxorubicin, vincristine, prednisone, rituximab) including regimens with pegylated liposomal doxorubicin
 - g. CHP (cyclophosphamide, doxorubicin, prednisone) + brentuximab vedotin
 - h. Bendamustine
7. **Non-Small Cell Lung Cancer:**
- a. Cisplatin/paclitaxel
 - b. Cisplatin/vinorelbine
 - c. Cisplatin/docetaxel
 - d. Cisplatin/etoposide
 - e. Carboplatin/paclitaxel
 - f. Docetaxel
8. **Ovarian cancer:** Carboplatin/docetaxel
9. **Prostate cancer:** Cabazitaxel
10. **Small Cell Lung Cancer:** Etoposide/carboplatin
11. **Testicular Cancer:**
- i. BEP (bleomycin, etoposide, cisplatin)
 - ii. Etoposide/cisplatin
12. **Uterine sarcoma:** Docetaxel

References

1. Neulasta [package insert]. Thousand Oaks, CA: Amgen Inc.; April 2019.
2. Fulphila [package insert]. Zurich, Switzerland: Mylan; May 2019.
3. Udenyca [package insert]. Redwood City, California: Coherus BioSciences, Inc: September 2019.
4. Ziextenzo [package insert]. Princeton, NJ: Sandoz Inc.; November 2019.
5. The NCCN Drugs & Biologics Compendium® © 2019 National Comprehensive Cancer Network, Inc. Available at: <https://www.nccn.org> Accessed January 14, 2020.
6. National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology: Hematopoietic Growth Factors. Version 1.2020. https://www.nccn.org/professionals/physician_gls/pdf/growthfactors.pdf Accessed January 14, 2020.
7. IBM Micromedex® DRUGDEX® (electronic version). IBM Watson Health, Greenwood Village, Colorado, USA. Available at <https://www.micromedexsolutions.com> (Accessed: 06/12/2019).
8. Aapro MS, Bohlius J, Cameron DA, et al. 2010 update of EORTC guidelines for the use of granulocyte-colony stimulating factor to reduce the incidence of chemotherapy-induced febrile neutropenia in adult patients with lymphoproliferative disorders and solid tumors. *Eur J Cancer*. 2011;47(1):8-32.
9. Smith TJ, Bohlke K, Lyman GH, et al. Recommendations for the use of white blood cell growth factors: American Society of Clinical Oncology Clinical Practice Guideline Update. *J Clin Oncol*. 2015;33(28):3199-3212.
10. National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology: Hairy Cell Leukemia. Version 3.2019. https://www.nccn.org/professionals/physician_gls/pdf/hairy_cell.pdf Accessed June 14, 2019.
11. Smith TJ, Khatcheressian J, Lyman GH, et al. 2006 update of recommendations for the use of white blood cell growth factors: an evidence-based clinical practice guideline. *J Clin Oncol*. 2006;24(19):3187-3205.



12. NCCN hematopoietic growth factors. Short-term recommendations specific to issues with COVID-19 SARS-CoV-2). National Comprehensive Cancer Network, Inc. Available at: https://www.nccn.org/covid-19/pdf/HGF_COVID-19.pdf. Accessed April 16, 2020.
13. Nyvepria (pegfilgrastim) [prescribing information]. Thousand Oaks, CA: Amgen Inc; June 2020.

Review History

01/20/2021 – Created and Reviewed P&T; switched from CVS template to custom template; added overview; added preferred products. Nyvepria added. Effective 03/01/21.

11/17/2021 – Reviewed and Updated for Nov P&T; effective 1/1/2022 preferred agents will be Neulasta and Udenyca; non-preferred agents will be Fulphila, Udenyca, and Nyvepria. Effective 1/1/22.

Disclaimer

AllWays Health Partners complies with applicable federal civil rights laws and does not discriminate or exclude people on the basis of race, color, national origin, age, disability, or sex.